



IOWA

Ophthalmology and Visual Sciences

EyeRounds.org

## Cuticular Drusen

Category(ies): Retina, Genetics

Contributor: [Jesse Vislisel, MD](#)




Cuticular drusen, also known as basal laminar drusen, are a type of familial drusen characterized by many clumps of tiny, extramacular drusen. They are strongly associated with the Tyr402His variant of the complement factor H (CFH) gene. Acuity often remains good as long as the drusen remain outside of the fovea.



OD

[Enlarge](#)

[Download](#)




EYE ROUNDS.ORG

OS

[Enlarge](#)

[Download](#)



Not original data

OD

Enlarge

Download



Not original data

OS

[Enlarge](#)     [Download](#)

## Cuticular Drusen


Category(ies): Retina / Vitreous

Contributor: Peter H. Sanchez, MD; [Bilal Ahmed, MD](#); [Jaclyn Haugsdal, MD](#);

Photographer: Alexandra Copple

Posted: 12/09/2024

56 year old female patient with evidence of extramacular drusen 360 degrees in both eyes consistent with cuticular drusen.



OD

[Enlarge](#)    [Download](#)



OS

[Enlarge](#)     [Download](#)

OD and OS Widefield color fundus photographs demonstrate 360 degrees of cuticular drusen sparing the macula.

Image Permissions:



Ophthalmic Atlas Images by [EyeRounds.org](#), The University of Iowa are licensed under a [Creative Commons Attribution-NonCommercial-NoDerivs 3.0 Unported License](#).

University of Iowa  
Roy J. and Lucille A. Carver College of Medicine  
Department of Ophthalmology and Visual Sciences  
200 Hawkins Drive  
Iowa City, IA 52242

[Support Us](#)

Copyright © 2019 The University of Iowa. All Rights Reserved  
[Report an issue with this page](#)  
[Web Privacy Policy | Nondiscrimination Statement](#)

Follow



[Receive notification of new cases, sign up here](#)  
[Contact Us](#)  
[Submit a Suggestion](#)